



Environmental Product Declaration

Mirra® 2 Chair

Design Story

Designed by Studio 7.5

Mirra 2 moves with you, at one with your body. When you sit, Mirra 2 adapts to you instantly. Shift, and the Butterfly Back™ and AireWeave™ 2 suspension seat dynamically support even your slightest movements. Recline, and the reinvented Harmonic™ tilt provides a smooth, balanced feel.

An athletic attitude and plenty of opportunities for personalization define Mirra 2's lean, sophisticated design. The emphasis on performance is visible. The Butterfly Back, a hybrid structure that merges a fabric layer with polymer veins, makes the chair more responsive, while bringing visual lightness to any environment.



Environmental Data

- 46% Recycled Content
- 21% Post Consumer
- 25% Pre Consumer
- Up to 93% Recyclability *

Life Cycle Assessment Data

- 105 kg CO₂eq Global Warming
- 0.29 kg SO₂ eq Acidification
- 0.15 kg Neq Eutrophication
- 4.4 kg O₃ eq Smog
- 1700 MJ Primary Energy Demand
- 3.5 X 10⁷ kg CFC-11eq Ozone Depletion

Environmental Certifications

- GREENGUARD® Gold
- Cradle to Cradle Certified™ Silver
- BIFMA level™ 3
- Global GreenTag (CM) Certified™ Greenrate level A

Warranty

Backed by Herman Miller's 12-year, 24/7 warranty

Manufactured

Herman Miller Greenhouse, Holland, MI 49424
ISO 14001/OHSAS 18001
Greenhouse manufacturing facility uses 100% Renewable Electric Energy (Through the purchase of Renewable Energy Certificates)

Disclaimer

The PCR this EPD was based on was not written to support comparative assertions. EPDs based on different PCRs or different calculation models may not be comparable. When attempting to compare EPDs or life cycle impacts of products from different companies, the user should be aware of the uncertainty in the final results due to and not limited to the practitioner's assumptions, the source of the data used in the study, and the specifics of the product modeled.

Company Description

Herman Miller creates inspiring designs to help people do great things at work, for learning, for wellness, at home, wherever people are. Our designs and the designers who work with us solve real problems for people and their organizations. This way of thinking about design has led us to be recognized as an innovator in furnishings, personal work accessories, and strategic services

Our Sustainability Goals

We will be Resource Smart, Ecoinspired, and Community Driven.

Resource Smart

- Zero Waste
- Net Zero Water
- Net Zero Energy

Ecoinspired Design

- All products designed for the environment
- All products BIFMA level 3 certified
- Closed-Loop recycling of used product

Community Driven

- All employees engaged in Earthright
- All suppliers committed to being Resource Smart

LEED

Please refer to www.hermanmiller.com/ecoscorecard for detailed LEED information.

Packaging

Returnable packaging is available.

Supplier Support

At Herman Miller, we are committed to working closely with our suppliers to reduce our collective impact on the environment. We encourage our suppliers to minimize their operations' environmental impacts and require they assist us in decreasing our facilities' environmental effects.

Design for the Environment Criteria

Our commitment to corporate sustainability naturally includes minimizing the environmental impact of each of our products. Our Design for the Environment team applies environmentally sensitive design standards to both new and existing Herman Miller products, and goes beyond regulatory compliance to thoroughly evaluate new product designs in key areas:

• Material Chemistry and Safety of Inputs

What chemicals are in the materials we specify, and are they the safest available?

• Disassembly

Can we take products apart at the end of their useful life, to recycle their materials?

• Recyclability

Do the materials contain recycled content, and more importantly, can the materials be recycled at the end of the product's useful life?

• Life Cycle Assessment (LCA)

Have we optimized the product based on the entire life cycle?

Mirra® 2 Chair

MATERIAL DECLARATION

Functional Unit


One unit of seating for one individual, maintained over a 10-year period, including packaging materials used for the final assembled product.

Reference Flow and Product Description

One Mirra 2 (product number MRF123AWAFAJG1BBG18M171A702) with aluminum base, plastic Cellular back with heat fused fabric, plastic seat, adjustable arms, and adjustable lumbar—intended for use in North America—was modeled for this EPD.

Content Declaration

The chart to the right details the materials included in the product.



Total Material Components

- Aluminum 41%
- Steel 13%
- Plastic 42%
- Foam 1%
- Miscellaneous 3%


| Material | Mass (kg) | Mass (%) | Resource |
|--|--------------|-------------|----------------------|
| Acrylonitrile Butadiene Styrene (ABS) | 0.012 | 0.07% | Virgin Non-renewable |
| Aluminum | 6.654 | 41.11% | Recycled Content |
| eCoat | 0.005 | 0.03% | Virgin Non-renewable |
| Epoxy Glass Filled | 0.293 | 1.81% | Virgin Non-renewable |
| Polyamide 6 (PA6) | 4.505 | 27.84% | Virgin Non-renewable |
| PA6 Recycled Content | 0.132 | 0.82% | Recycled Content |
| Polyamide 6/6 (PA66) | 0.010 | 0.06% | Virgin Non-renewable |
| Polyethylene Terephthalate (PET) and PET Textile | 0.116 | 0.72% | Recycled Content |
| Polyoxymethylene (POM) | 0.468 | 2.88% | Virgin Non-renewable |
| Polypropylene (PP) | 1.001 | 6.18% | Virgin Non-renewable |
| Polyurethane (PUR) | 0.258 | 1.59% | Virgin Non-renewable |
| Natural Rubber | 0.005 | 0.03% | Virgin Renewable |
| Steel | 2.030 | 12.54% | Recycled Content |
| Copolyester Elastomer (COPE) | 0.090 | 0.56% | Virgin Non-renewable |
| Styrene Methy methacrylate (SMMA) | 0.309 | 1.91% | Virgin Non-renewable |
| Thermoplastic Elastomer (TPE) | 0.298 | 1.84% | Virgin Non-renewable |
| Total | 16.18 | 100% | |

Packaging*

| | | | |
|---------------|-------------|-------------|----------------------|
| Corrugate | 3.53 | 96.95% | Recycled Content |
| Polyethylene | 0.085 | 2.33% | Virgin Non-renewable |
| Polypropylene | 0.026 | 0.71% | Virgin Non-renewable |
| Total | 3.64 | 100% | |

*Returnable/reusable shipping blankets also available.

LIFE CYCLE ASSESSMENT



ENVIRONMENTAL PRODUCT DECLARATION SYSTEM BOUNDARIES

Cradle to grave, including transportation.

Product

This EPD covers Mirra2 with butterfly and triflex back produced for use in North America at Herman Miller's Greenhouse manufacturing plant in Holland, MI. The EPD applies to all colors of the Mirra 2 Chair with adjustable 4 dimensional and 1 dimensional arms, tilt, aluminum base, casters, and suspension seat. The Mirra 2 Chair, with fixed arms, and with plastic base are excluded from this study.

Raw Material Extraction and Preprocessing

The raw materials stage covers the extraction and production of the raw materials needed to manufacture the product. It includes the processing of the extracted raw material to the point where it can be made into a recognizable part, as well as transportation of the finished raw material to the part production factory.

Production

Materials are converted into parts and assemblies and made into the final product. This stage, often referred to as Gate to Gate, includes packaging of the final product and transport of parts and assemblies to the place of final product assembly and packaging.

Distribution

Transport of the product to the final customer, including retail and warehousing. Herman Miller products generally ship directly from the manufacturing plant to the final customer and are not sent to retail or warehousing.






Usage

Use, maintenance, and regular cleaning of the product. Herman Miller seating products are generally cleaned with a dry or damp rag and do not typically require maintenance during their warranted lifetime.

End of Life






End of life treatment of the product including landfill, recycling, waste-to-energy process, and transportation to the place of final disposal or recycling. We design our products to be easily disassembled and recycled; however, in this study, our product was modeled using the national average recycling values. As a result, more of our materials were modeled as going to the landfill than should occur in actual practice. Herman Miller also offers programs to help our customers find homes for their furniture and materials at end of life.

Life Cycle Environmental Impacts


| | Impact Category | Unit | Total | Methodology |
|---|---|------------------------|------------------------|--|
|  | <p>Acidification Potential Atmospheric deposition of substances that can cause a change of acidity in the soil. Changes in levels of acidity can cause a shift of species to occur.</p> | kg SO ₂ -eq | 0.29 | TRACI 2.1 as based on ASTRAP (Shannon 1991, 1992) |
|  | <p>Eutrophication Water Nutrient enrichment of the aquatic environment that impacts its ecological quality of water.</p> | kg nitrogen-eq | 0.15 | TRACI 2.1 as characterized by the Redfield Ratio Model (1963) |
|  | <p>Global Warming Potential (100 Years) A measure of the potential of emitted gasses to cause an increase in the radiative forcing potential of the atmosphere leading to climate change.</p> | kg CO ₂ -eq | 105 | TRACI 2.1 as characterized by IPCC 2001, 2007 |
|  | <p>Photochemical Ozone Creation Potential (Smog) Air pollution derived from man-made emissions to the atmosphere that can potentially cause ground level ozone.</p> | kg O ₃ -eq | 4.4 | TRACI 2.1 as based on Carter, W.SAPRC Atmospheric Chemical Mechanisms and VOC reactivity scale (2010) |
|  | <p>Ozone Depletion Potential Air pollution from man-made emissions to the atmosphere that have the ability to destroy ozone that protects the earth from UV sun-rays.</p> | kg CFC-11 eq | 3.5 x 10 ⁻⁷ | TRACI 2.1 based on Handbook for the International Treaties for the Protection of the Ozone Layer (UNEP-SETAC 2000) |

Mirra® 2 Chair

Detailed Life Cycle Impact Assessment

| | LCIA Results | Unit | Total | Raw Material Production | Product Production | Distribution and Retail | End of Life |
|---|---|------------------------|----------------------|-------------------------|----------------------|-------------------------|-----------------------|
|  | Acidification Potential | kg SO ₂ -eq | 2.9x10 ⁻¹ | 2.8x10 ⁻¹ | 3.2x10 ⁻³ | 1.6x10 ⁻³ | 6.8x10 ⁻³ |
|  | Eutrophication Water | kg nitrogen-eq | 1.5x10 ⁻¹ | 1.4x10 ⁻¹ | 5.4x10 ⁻⁴ | 1.0x10 ⁻⁴ | 2.3x10 ⁻³ |
|  | Global Warming Potential | kg CO ₂ -eq | 1.1x10 ² | 1.0x10 ² | 1.5x10 ⁰ | 3.2x10 ⁻¹ | 3.0x10 ⁰ |
|  | Photochemical Ozone Creation Potential (Smog) | kg O ₃ -eq | 4.4x10 ⁰ | 4.1x10 ⁰ | 8.5x10 ⁻² | 4.8x10 ⁻² | 1.2x10 ⁻¹ |
|  | Ozone Depletion Potential | kg CFC-11-eq | 3.5x10 ⁻⁷ | 3.3x10 ⁻⁷ | 2.5x10 ⁻⁸ | 2.3x10 ⁻¹² | 3.9x10 ⁻¹¹ |

Life Cycle Impacts of the Mirra 2 Chair



Detailed Life Cycle Assessment

- Raw Material Production
- Product Production
- Distribution and Retail
- End of Life

Detailed Life Cycle Inventory

| LCI Results | Unit | Total | Raw Material Production | Product Production | Distribution and Retail | End of Life |
|--|-------------|----------------------|------------------------------------|---------------------------|--------------------------------|----------------------|
| Energy Demand | | | | | | |
| Primary Energy | MJ | 1.7x10 ³ | 1.7x10 ³ | 2.3x10 ¹ | 4.8x10 ⁰ | 1.9x10 ¹ |
| Fossil Fuel Energy | MJ | 1.6x10 ³ | 1.6x10 ³ | 2.3x10 ¹ | 4.8x10 ⁰ | 1.8x10 ¹ |
| Nuclear Energy | MJ | 3.9x10 ¹ | 3.8x10 ¹ | 3.2x10 ⁻² | 2.0x10 ⁻² | 6.1x10 ⁻¹ |
| Renewable Energy | MJ | 5.1x10 ¹ | 5.0x10 ¹ | 3.4x10 ⁻² | 2.8x10 ⁻² | 7.0x10 ⁻¹ |
| Waste | | | | | | |
| Waste to Landfill | kg | 1.6x10 ¹ | 0.0x10 ⁰ | 0.0x10 ⁰ | 0.0x10 ⁰ | 1.6x10 ¹ |
| Waste to Incinerator (energy recovery) | kg | 8.6x10 ⁻² | 0.0x10 ⁰ | 8.6x10 ⁻² | 0.0x10 ⁰ | 0.0x10 ⁰ |
| Waste to Incinerator (without energy recovery) | kg | 0.0x10 ⁰ | 0.0x10 ⁰ | 0.0x10 ⁰ | 0.0x10 ⁰ | 0.0x10 ⁰ |
| Waste to Recycling | kg | 6.0x10 ⁰ | 0.0x10 ⁰ | 4.7x10 ⁻¹ | 0.0x10 ⁰ | 5.5x10 ⁰ |
| Hazardous Waste | kg | 1.7x10 ⁻² | 1.7x10 ⁻² | 2.3x10 ⁻⁵ | 1.2x10 ⁻⁵ | 6.8x10 ⁻⁴ |
| Other | | | | | | |
| Fresh Water Use | kg | 8.6x10 ³ | 8.1x10 ³ | 1.7x10 ¹ | 9.7x10 ⁰ | 4.8x10 ² |

Mirra® 2 Chair

EPD and LCA Creation and Verification

The EPD and LCA were created by Herman Miller's Design for the Environment Team.

References

PCR for Environmental Product Declarations Seating: UNFCFC 3811, Valid through November 17, 2019.

Recycling and disassembly instructions can be found at hermanmiller.com/products/seating/performance-work-chairs/mirra-2-chairs.html

LCA for Mirra 2 Chair, November, 2014

ISO 14025:2006 Environmental labels and Declaration - Type III Environmental Declaration - Principles and Procedures.

PCR REVIEW:

HermanMiller Inc.

Reference PCR: Product Category Rule for Environmental Product Declaration BIFMA PCR for Seating. Valid through November 17, 2019.

PCR Review was conducted by: NSF International by an LCA expert panel chaired by Tom Gloria, Industrial Ecology Consultants. Email ncss@nsf.org for any PCR questions.

This EPD is based on the November, 2014 LCA for Mirra 2 Chair. The LCA was independently verified in accordance with ISO 14044 and the PCR by an external reviewer.

This Declaration was independently verified in accordance with ISO 14025 and the PCR.

Internal External

Rita Schenck
Name

Signature

Rita Schenck
Name

Signature

November 17, 2014
EPD Approved Date

November 17, 2019
EPD valid through.

Program Operator (Earthsure) iere.org/programs/earthsure/



Manufacturer's contact information
www.hermanmiller.com/contact



GREENGUARD Certification
Certification in Indoor Air QualitySM – products designed for use in indoor spaces meeting strict chemical emissions limits. Children & SchoolsSM products certified are suitable for use in environments where children and others work, play or reside.



Cradle to Cradle Certified^{CM} Program
A multi-attribute program that assesses products for safety to human & environmental health, design for future use cycles, and sustainable manufacturing processes.



levelTM Certification
The level conformance mark ensures a comprehensive, independent, and impartial assessment of the environmental and social impacts of a product.